



HAND TOOLS AND POWER TOOL ACCESSORIES

Your Speedy Effortless Tools ►►

Profile

JK Files & Engineering Limited, a subsidiary of Raymond Ltd enjoys leadership position as the world's largest manufacturer of steel files with a share of over 25% of global capacity in 2020, with a presence in over 55 countries. The company is the market leader in the files segment in India with a market share of over 60% by sales volume in fiscal 2021.

With trusted relationships that are built over the past seven decades, JK Files & Engineering has earned a repute as a manufacturer offering expansive and versatile range of custom made files and tools as per BS, FS, ISI and DIN standards or as specified by customers. The company also has a strong presence in the Asian, African and Latin American regions and is the largest brand in the African market with a market share of over 50% by volume in steel files in 2020. In addition, it is amongst the leading players in the drills segment in India.

Our organization is backed by five ISO 9001-2015 certified plants strategically located at Ratnagiri & Chiplun in Maharashtra, Pithampur in Madhya Pradesh and Vapi in Gujarat. All plants are equipped with in- house rolling mills that ensure premium quality as well as easy product availability with wide spread of SKU's in the market. Our strong commitment to quality has helped us build an enviable reputation even in technologically advanced markets like Europe, USA and UK.

We export files and drills to Europe, Latin America, Africa, North America and Asia-Pacific under our own brand as well as white labelled products.

The brand 'JK' extends its rich legacy of technological know-how and expertise in manufacturing files and drills to quality products in Hand tools and Power tools categories. The expansive portfolio includes a wide variety of handheld electric powered and non-powered tools such as Marble Cutter, Angle grinder, Impact Drill, Electric Drill, Cut-Off Saw, Pliers, Wrenches, Hammers, Spanners, Screw Drivers, Iron Jack Planes, Hole Saw, Hand Hack Saw Blades, TCT Circular Saw, Sockets etc. Our objective is to simplify laborious tasks carried out by professionals such as carpenters, masons, plumbers, electricians, metal fabricators and MRO industry with high degree of efficiency and superior quality.

Building resilience through a resilient supply chain ably supported by local warehouses aligned to strong dealer distributor model. Our pan-India distribution network consists of over 730 active distributors with a retail reach of over 150,000 outlets spanning over 600 towns in India.

We Welcome you to the world of JK Superdrive



JK MAINI
PRECISION TECHNOLOGY
A **raymond** GROUP COMPANY
(Formerly known as JKFEL Tools & Technologies Limited)



We shall provide products and services that meets our Customers' requirements on time, every time.

We shall provide all possible assistance to our Customers wherever required to get benefits from the use of our products.

We shall continually improve our processes to understand changing customer needs of QUALITY, COST and DELIVERY which is vital for our continued growth and success.

We will continually improve the effectiveness and compliance of our QUALITY MANAGEMENT SYSTEM with the involvement of employees at all levels.

We are committed to ensure safety of all our facilities.



Parag Khare

Chief Business Officer
T&H Business

Index

Sr. no.	Particulars	Pg. No.
01	Pliers	01
02	Wrench	04
03	Screw Drivers	06
04	Hex Allen Keys	09
05	Iron Jack Plane, Block Plane & C-clamp	12
06	Spanners	13
07	Hex & Bi-Hex Sockets	16
08	Hammers	19
09	Hack Saw Blades	22
10	PTFE Tape, Combination Stone & Sand Paper	24
11	Hole Saw & wood Carving Disc	25
12	TCT & diamond Blades	27
13	Abrasive Wheels	31
14	SOS Plus Hammer Drill Bits & Power Bits	36

 Hand Tools

 Power Tools Accessories



Pliers



**Long Nose Plier
(Red Sleeve)**



**Long Nose Plier
(Soft Grip Sleeve)**



**Combination Plier
(Soft Grip Sleeve)**



**Combination Plier
(Regular Red Sleeve)**



Regular Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800475	6	150	5	80
SD7800003	8	200	5	60

- Conforming to 15:6078-1986
- Made of High Grade Steel
- Ideal for Home, Industry, Plumber & Automobile
- Slip free Comfort Grip Handle
- Induction hardened cutter excellent for wire cutting

Long Nose Plier (Regular Red Sleeve)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800476	6	150	5	80

- Conforming to IS: 5658:1990

Combination Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800001	6	170	10	40
SD7800002	8	206	6	48

- Conforming to IS: 3650:1981
- Tested for quality: As per IS-2615-1981
- Chrome Vanadium Steel
- Soft grip handle for better tube gripping
- Induction hardened cutter excellent for wire cutting

Long Nose Plier (Soft Grip Sleeve)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800004	6	150	5	40

- Conforming to IS: 5658:1990
- Chrome Vanadium Steel


Wire Stripper



Bolt Cutter



Side Cutting Plier



Carpenter Pincer



Water Pump Plier (Box Type)



Wire Stripper

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800841	5	125	10	240
SD7800007	6	150	10	240

- Conforming to 15:5087-1969
- Nickel Chrome Plated Spring
- Induction Hardened Cutter
- Cellulose Acetate Sleeve for FIRM grip

Water pump Plier (Box Type)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800005	10	250	10	40

- Conforming to IS: 6118-1991
- Made of High Crade Steel
- Slip free Comfort Crip Handle

Side Cutting Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800006	6	150	5	80

- Conforming to 15:4378 -1990
- Slip free Comfort Crip Handle

Carpenter Pincer

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800008	8	200	10	60

- Conforming to IS: 4095-1991

Bolt Cutter

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800900N	8	200	1	60
SD7800901N	12	300	1	30
SD7800902N	14	350	1	20
SD7800903N	18	450	1	10



Wrench



**Pipe Wrench
(Stillson Type)**



**Adjustable Wrench
(Phosphate finish)**



Pipe Wrench (Stillson Type)

Product Description	JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
Pipe Wrench (Stillson Type) With Corrugated Box	SD7800677	10	250	6	36
	SD7800017	12	300	6	24
	SD7800018	14	350	6	18
	SD7800019	18	450	6	12
	SD7800020	24	600	1	6

- Conforming to IS: 4003 -1978
- Drop forged high grade steel
- Anti-slip handle for comfort grip
- Induction hardened jaws
- Unique double spring system

Adjustable Wrench

Product Description	JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
Phosphate Finish	SD7800009	6	155	10	120
	SD7800010	8	205	10	60
	SD7800011	10	255	6	24
	SD7800012	12	305	6	24
	SD7800678	15	380	4	16

- Conforming to IS: 6149-1984
- Heavy duty handle & special screw for smooth knurling
- Laser marked measurement scale for indicating correct jaw opening
- Special design for better torque
- Made of high grade steel



Screw Drivers



Screw Driver Set 605



Screw Driver Set 608



Tester 603 (with Neon Blub 500 V)



Screw Driver Set (with Neon Bulb 500v)

Product Description	Type & Dimension (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
Screw Driver Set 608 with Extension SD7800873	F6 X0.9, 5X0.7, 3X0.5 Philip No. 2, 1 & 0 Round Poker, Extn. Blade (Plastic Box)	10	100
Extension Set 605 SD7800872	F6 X0.9, 3X0.5, Philip No. 2, 1 & Square Poker	10	100

Tester (with Neon Bulb 500 v)

JK Code	Product Description	Type & Dimension (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800099NV	Regular Tester 603	3.0 X 0.5	10	640

- Conforming to IS: 5579-1985
- Wear Resistance Brass Nut
- Shock free to ensure Safety





**Double Ended Screw Drive Lite
(With Green Sleeve)**

**Double Ender
Without Sleeve**



**Double Ender
With Sleeve**



Double Ended Screw Driver Lite (With Green Sleeve)

JK Code	Product Description	Length(mm) 	Tip Dimension	Std. Pkg.(Pc.) 	Master Pkg. (Pc.) 
SD7800945	Small 6100 Lite	100	6.0 X 0.9	20	200
SD7800946	Medium 6150 Lite	150	6.0 X 0.9	20	200
SD7800947	Large 6200 Lite	200	6.0 X 0.9	20	200
SD7800948	Extra Large 6250 Lite	250	6.0 X 0.9	20	200


- Blade Conforming to IS: 844-1979



Double Ender (with Sleeve)

JK Code	Product Description	Length(mm) 	Tip Dimension	Std. Pkg.(Pc.) 	Master Pkg. (Pc.) 
SD7800845NV	Small DE600	145	6.0 X 0.9	20	200
SD7800844NV	Large DE601	190	6.0 X 0.9	20	200
SD7800843NV	Extra Long DEXL601	315	6.0 X 0.9	20	200

- Blade Conforming to IS: 844-1979



Double Ender (without Sleeve)

JK Code	Product Description	Length(mm) 	Tip Dimension	Std. Pkg.(Pc.) 	Master Pkg. (Pc.) 
SD7800933	Small DE600	145	6.0 X 0.9	20	200
SD7800932	Large DE601	190	6.0 X 0.9	20	200
SD7800931	Extra Long DEXL601	315	6.0 X 0.9	20	200

- Blade Conforming to IS: 844-1979



Hex Allen Keys



**Hex Allen Keys -
Standard Series
(Black Finish)**



**Hex Allen Keys Set (9 Pcs.)
Standard Series (Black Finish)**



Hex Allen Keys - Standard Series (Black Finish)

JK Code	Tip Size 	Length(mm) 	Std. Pkg.(Pc.) 
SD7800546	1.5	45	20
SD7800547	2	50	20
SD7800548	2.5	56	20
SD7800549	3	63	20
SD7800550	4	70	20
SD7800551	5	80	20
SD7800552	6	90	20
SD7800553	8	100	10
SD7800554	10	112	10

Hex Allen Keys Set (9Pcs) - Standard Series (Black Finish)

JK Code	Tip Size 	Std. Pkg.(Pc.) 
SD7800542	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	10
SD7800738	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 5/16, 3/8	10



**Hex Allen Keys -
Long Ball Point Series
(Black Finish)**



**Hex Allen Keys Set (9 pcs)
Long Ball Point Series
(Black Finish)**



Hex Allen Keys - Long Ball Point Series (Black Finish)

JK Code	Tip Size 	Length(mm) 	Std. Pkg.(Pc.) 
SD7800565	2	82	20
SD7800566	2.5	88	20
SD7800568	4	104	20
SD7800569	5	115	20
SD7800570	6	138	20
SD7800571	8	156	10
SD7800572	10	168	10

Hex Allen Keys Set (9Pcs) - Standard Series (Black Finish)

JK Code	Tip Size 	Std. Pkg.(Pc.) 
SD7800544	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	10



Fine Grained Iron Jack plane



Black plane

C-Clamp



Fine Grained iron Plane

JK Code	Product Description	Size (Blade)	Size Length	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800170	STD 4 NO.	50	250	1	12
SD7800171	STD 5 NO.	50	355	1	10
SD7800172	STD 6 NO.	60	450	1	8

- Conforming to IS: 15385 - 2003
- Brass Nuts & Brass Adjusting Screw-Anti Rust and long lasting
- Induction Hardened Cutting Blade
- Body made of Fine Grey Iron Casting
- Ergonomically designed handle for Comfort Grip

Block Plane

JK Code	Product Description	Size (Blade)	Size (Length)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800692	102	35	140	1	30
SD7800693	110	40	175	1	20

Block Plane

JK Code	Size (inch)	Size (mm)	Weight (Gms)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800454	2	50	370	10	60
SD7800455	3	75	625	10	40
SD7800453	4	100	875	6	24
SD7800451	6	150	1830	5	10
SD7800452	8	200	2700	1	8

- JK C-Clamp Conforms to IS 9181-1988
- Drop forged from High Grade Steel
- Swivel pad for better Angular Grip





Spanners



Double Open Ended Spanner



Double Open Ended Spanner Sets



Double Open Ended Spanner

JK Code	Length (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800053	6x7	10	1000
SD7800054	8x9	10	800
SD7800055	10x11	10	600
SD7800056	12x13	10	400
SD7800057	14x15	10	300
SD7800058	16x17	10	250
SD7800059	18x19	10	150
SD7800060	20x22	10	150
SD7800061	21x23	5	120
SD7800062	24x26	5	80
SD7800063	24x27	5	80
SD7800064	25x28	5	80
SD7800065	30x32	5	60
SD7800066	22x24	5	120
SD7800067	32x36	2	50
SD7800068	36x41	2	50
SD7800069	41x46	2	30
SD7800070	46x50	2	30
SD7800071	50x55	2	30
SD7800072	1/4x5/16	10	300
SD7800073	3/16x1/4	10	400
SD7800074	5/16x7/16	10	250
SD7800075	7/16x9/16	5	80
SD7800076	9/16x11/16	5	60



Double Open Ended Spanner Sets

JK Code	Length (mm)	Std. Pkg. (Pc.)
SD7800067	8 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X21)	1
SD7800068	10 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27)	1
SD7800069	12 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27, 25X28, 30X32)	1



Ring Spanner



Ring Spanner

JK Code	Length (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800080	6 X 7	10	400
SD7800081	8 X 9	10	300
SD7800082	10 X 11	10	250
SD7800083	12 X 13	10	200
SD7800084	14 X 15	10	150
SD7800085	16 X 17	10	120
SD7800086	18 X 19	10	120
SD7800087	20 X 22	10	80
SD7800088	21 X 23	10	60
SD7800089	22 X 24	10	60
SD7800876	24 X 26	5	40
SD7800090	24 X 27	5	40
SD7800091	25 X 28	5	40
SD7800092	30 X 32	5	40
SD7800719	3/16" X 1/4"	10	200
SD7800720	1/4" X 5/16"	10	150
SD7800721	5/16" X 3/8"	10	120
SD7800793	5/16" X 7/16"	10	120
SD7800724	7/16" X 9/16"	5	40
SD7800725	9/16" X 11/16"	5	40

CONFORMING TO IS: 2029-1998

Double Open Ended Spanner Sets

JK Code	Length (mm)	Std. Pkg. (Pc.)
SD7800093	8 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22)	1
SD7800094	10 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27)	1
SD7800095	12 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27, 25X28, 30X32)	1

- High Quality Drop forged
- Chrome Vanadium Steel
- Precision Hardened & Heat Treated

Ring Spanner Sets





Hex & Bi-Hex sockets



Hex & Bi-Hex sockets
(1/2" Square Drive)



Hex & Bi-Hex Sockets (1/2" Square Drive)

JK Code Hex	Size (mm)	Std. Pkg. (Pc.)	JK Code Bi-HEX
SD7800479NV	8	10	SD7800502NV
SD7800480NV	9	10	SD7800503NV
SD7800481NV	10	10	SD7800504NV
SD7800482NV	11	10	SD7800505NV
SD7800483NV	12	10	SD7800506NV
SD7800484NV	13	10	SD7800507NV
SD7800485NV	14	10	SD7800508NV
SD7800486NV	15	10	SD7800509NV
SD7800487NV	16	10	SD7800510NV
SD7800488NV	17	10	SD7800511NV
SD7800489NV	18	10	SD7800512NV
SD7800490NV	19	10	SD7800513NV
SD7800491NV	20	10	SD7800514NV
SD7800492NV	21	10	SD7800515NV
SD7800493NV	22	10	SD7800516NV
SD7800494NV	23	10	SD7800517NV
SD7800495NV	24	10	SD7800518NV
SD7800496NV	26	10	SD7800519NV
SD7800497NV	27	10	SD7800520NV
SD7800498NV	28	10	SD7800521NV
SD7800499NV	29	10	SD7800522NV
SD7800500NV	30	10	SD7800523NV
SD7800501NV	32	10	SD7800524NV

27 Pcs. Sockets Set
(1/2" Square drive)



27 Pcs. Sockets Set (1/2" Square Drive)

27 Pcs. Set	JK Code	Contents for Hex & Bi-Hex	Std. Pkg. (Pc.)
Hex	SD7800525NV	1 Pc. Each of 1/2" Socket: 8,9,10, 11,12,13, 14, 15, 16, 17, 18, 19, 20,21,22,23,24,27,30,32mm; Extension Bar: 125 & 250mm; Sliding T-Bar: 250mm, 1/2" Drive Spark Plug: 16 & 21mm, Universal Joint: 75 mm, Reversible Ratchet: 255mm	1
Bi-Hex	SD7800526NV		1



Socket Accessories (1/2" Square Drive)

Product Description	JK Code	Length (mm)	Std. Pkg. (Pc.)
Reversible Ratchet Handle	SD7800527NV	255	1
Flexible Handle	SD7800530NV	250	1
Extension Bar	SD7800532NV	75	5
	SD7800533NV	125	5
	SD7800534NV	250	5
Sliding T-Bar	SD7800531NV	300	1
	SD7800524NV	250	1
L-Handle	SD7800528NV	250	1
	SD7800529NV	300	1
Universal joint	SD7800535NV	75	5



Hammers



Claw Hammer
American Type Tubular Steel
Handle with Rubber Grip



Claw Hammer
American Type with
Waadan Handle



Ball Pein Hammer
with Waaden Handle



Cross Pein Hammer
with Waaden Handle



Claw Hammer American Type Tubular Steel Handle with Rubber Grip

JK Code	Weight (Grams)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800025	250	2	40

• Conforming to IS: 6546 -1989

Claw Hammer American Type with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800026	500	2	30

• Conforming to IS: 6546 -1989

Ball Pein Hammer with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800027	100	6	96
SD7800028	200	6	60
SD7800029	300	2	48
SD7800030	500	2	30
SD7800031	600	2	24
SD7800032	800	2	20

Cross Pein Hammer with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800033	100	6	96
SD7800034	200	6	60
SD7800035	300	2	48
SD7800036	500	2	30
SD7800037	600	2	24
SD7800038	800	2	20

Machinist Hammer
with Wooden handle



Soft mallet Hammer
Tubular Steel Handle with Rubber Grip



Soft mallet Hammer (Spares)



Machinist Hammer with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800039	100	6	96
SD7800040	200	6	60
SD7800041	300	6	48
SD7800042	500	2	30

- Heads are Induction Hardened which gives you Reliable Superior Product with Longer Life
- Made of High Grade Steel Conforming to IS: 841-1983 for Hammer Specification and IS 4953-1989 for Dimensions of Wooden Handle

Soft Mallet Hammer Tubular Steel handle with Rubber Grip

JK Code	Size (mm)	Length (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800043	20	265	4	100
SD7800044	25	270	4	60
SD7800045	30	290	4	48
SD7800046	40	320	2	30
SD7800046	50	340	2	20

Soft Mallet Hammer (Spares)


JK Code	Size (mm)	Length (mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800048	20	21	10	180
SD7800049	25	25	10	150
SD7800049	30	30	10	120
SD7800051	40	38	10	100
SD7800052	50	40	10	100

- Conforming to IS: 10838-1984
- CA Hardened Nylon faced Insert for Long Life
- Mirror Polished Finish
- Tubular Steel Handle with Rubber Grip



Hack Saw Blades





HSS Hand Hack Saw Blade

JK Code	Nominal Size (mm)	L x W x T (inch)	TPI	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800582	300 X 12.5 X 0.63	12 X ½ X 0.025	18	100	1000
SD7800583	300 X 12.5 X 0.63	12 X ½ X 0.025	24	100	1000

Bi-Metal Hand Hack Saw Blades


JK Code	Nominal Size (mm)	L x W x T (inch)	TPI	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800890N	300 X 12.5 X 0.63	12 X ½ X 0.025	18	100	1000
SD7800891	300 X 12.5 X 0.63	12 X ½ X 0.025	24	100	1000

Flexible Carbon Hack saw Blades

JK Code	Nominal Size (mm)	L x W x T (inch)	TPI	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800715	300 x 12.5 x 0.63	12 x ½ x 0.025	18	100	1000
SD7800716	300 x 12.5 x 0.63	12 x ½ x 0.025	24	100	1000

Double Sided Flexible Carbon Hack saw Blade

JK Code	Nominal Size (mm)	L x W x T (inch)	TPI	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800943	300 x 12.5 x 0.63	12 x ½ x 0.025	24	100	1000



Sand Paper



Sand Paper

JK Code	Product Description	Std. Pkg (pc)
SD7800782	220 Grit Abrasive Paper Wet & Dry	100



PTFE Tape



PTFE Tape

JK Code	Product Description	Width	Std. Pkg (pc)
SD7800582	10 m PTFE Tread Sealing Tape	12 mm	10



Combination Stone



Combination stone

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master, Pkg (pc)
SD7800690N	6	155	1	40
SD7800691	8	205	1	50

- Used for sharpening edges of cutting devices.



Hack saw Frame



Hack saw Frame

JK Code	Product Description	Std. Pkg (pc)	Master, Pkg (pc)
SD7800953A	12" Square Pipe Hacksaw Frame	6	72





Hole saw &
Wood Carving
Disc



**Hole Saw Bi-Metal
Variable Pitch**



**Arbors
(with HSS Drill)**



TCT Hole Saw

Hole Saw Bi-Metal Variable Pitch

JK Code	Diameter		JK Code	Diameter	
	mm	inch		mm	inch
SD9060084	14*	9/16	SD9060105	46*	1.13/16
SD9060085	16*	5/8	SD9060106	48*	1.7/8
SD9060086	17*	11/16	SD9060107	51	2
SD9060087	19	3/4	SD9060108	52*	2.1/16
SD9060088	20	25/32	SD9060109	54	2.1/8
SD9060089	21*	13/16	SD9060110	57*	2.1/4
SD9060090	22	7/8	SD9060111	59*	2.5/16
SD9060091	24*	15/16	SD9060112	60*	2.3/8
SD9060092	25	1	SD9060113	64*	2.1/2
SD9060093	27	1.1/16	SD9060114	67	2.5/8
SD9060094	29	1.1/8	SD9060115	70*	2.3/4
SD9060095	30*	1.3/16	SD9060116	76	3
SD9060096	32	1.1/4	SD9060117	80	3.5/32
SD9060097	33*	1.5/16	SD9060118	83	3.1/4
SD9060098	35*	1.3/8	SD9060119	89	3.1/2
SD9060099	37*	1.7/16	SD9060079	100	3.15/16
SD9060100	38	1.1/2	SD9060080	102	4
SD9060101	40*	1.9/6	SD9060081	108	4.1/4
SD9060102	41*	1.5/8	SD9060082	111	4.3/8
SD9060103	43*	1.11/16	SD9060083	114	4.1/2
SD9060104	44	1.3/4			

* Star marked sizes are only available on request.




Arbors (with HSS Drill)

JK Code	Type	Diameter mm	Std. Pkg. (pc.)
SD9060122	J1	14-30	1
SD9060123	J2	32-114	1

TCT Hole Saw- For wood

JK Code	Diameter mm	Std. Pkg. (Pc.)
SD9060201	35	1



TCT & Diamond Blades



GranTile-Cut (Turbo Cutting)

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060246	4	110	10	200
SD9060179	6	150	10	200



GranTile-Cut (Turbo Cutting)

Fine-Mould (Continuous)

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060245	4	110	10	200
SD9060175	5	125	10	200
SD9060178	6	150	10	200
SD9060254	7	175	10	200



Fine-Mould (Continuous)

Brickstone-Cut (Segmented)

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060240	4	110	10	200
SD9060319*	4	110	10	200
SD9060247	5	125	10	200
SD9060250	6	150	10	200
SD9060253	7	175	10	200


* - Available in Bulk Packing



Brickstone-Cut (Segmented)

Tile Cutting Blade (Zero Chipping segmented)

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060358	4	110	20	200
SD9060443	4	110	20	200



Tile Cutting Blade (Zero Chipping segmented) JK Bijli



Diamond Blade Turbo JK kadak

Granite Special Diamond Blade (600 RFT Pro)

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060441	4	110	20	200



Granite Special Diamond Blade

TCT Circular Saw for Wood Cutting

JK Code	Size (inch x mm x teeth)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060256	4X20X30T	10	100
SD9060241	4X20X40T	10	100
SD9060257	5X20X40T	10	100
SD9060258	6X25.4X40T	10	100
SD9060053	6X25.4X60T	10	100
SD9060260	7X25.4X40T	10	100
SD9060261	7X25.4X60T	10	100
SD9060056	8X25.4X40T	1	50
SD9060057	8X25.4X60T	1	20
SD9060058	10X25.4X40T	1	25
SD9060059	10X25.4X60T	1	25
SD9060062	12X25.4X100T	1	20
SD9060063	12X25.4X120T	1	20
SD9060064	12X25.4X40T	1	20
SD9060065	12X25.4X60T	1	20
SD9060066	12X25.4X80T	1	20
SD9060069	14X25.4X100T	1	10
SD9060070	14X25.4X120T	1	10
SD9060071	14X25.4X40T	1	10
SD9060072	14X25.4X60T	1	10
SD9060073	14X25.4X80T	1	10
SD9060365	5X20X30T	10	10



TCT Expert Circular Saw for Wood Cutting



TCT Circular Saw for Wood Cutting



TCT Expert Circular Saw for Wood Cutting

JK Code	Size (inch)	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060266	4	110	10	100
SD9060267	4	110	10	100
SD9060268	5	125	10	100
SD9060372	5	125	20	200
SD9060370	4	110	20	200



4 X 12 TCT Blade



5 X 12 TCT Blade

TCT Circular Saw for Aluminum Cutting

JK Code	Size (inch x mm x teeth)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060338	10X25.4X100T	1	25
SD9060339	10X25.4X120T	1	25
SD9060060	12X25.4X100T	1	20
SD9060061	12X25.4X120T	1	20
SD9060067	14X25.4X100T	1	20
SD9060068	14X25.4X120T	1	20
SD9060074	16X25.4X100T	1	20
SD9060075	16X25.4X120T	1	20



TCT Circular Saw for Aluminum Cutting



Abrasive wheels





Black Cutting wheel Ultra Cut



Green Cutting wheel fast Cut

Ultra Cut Green Cutting Disc			
JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060357	107X1.2X16	50	800

Fast Cut Green Cutting Wheel			
JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060344	107X1.2X16	50	800



Green Cutting Disc Pro




Black Cutting Disc Pro



Red Cutting Disc Pro

Cutting Disc Pro			
JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060262 (Green)	107X1.2X16	50	800
SD9060239 (Black)	107X1.2X16	50	800
SD9060286 (Red)	107X1.2X16	50	800





Power Cut Cutting Wheel (Green)



Power Cut Cutting Wheel (Black)



Power Cut Cutting Wheel (Red)

Power Cut Cutting Wheel			
JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060366 (Green)	107X1.2X16	50	800
SD9060367 (Black)	107X1.2X16	50	800
SD9060368 (Red)	107X1.2X16	50	800



Double Mesh Cutting Wheel (Green)



Double Mesh Cutting Wheel (Black)



Double Mesh Cutting Wheel (Red)

Cutting Wheel			
JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060369 (Green)	125X1.2X22	50	600
SD9060400 (Black)	125X1.2X22	50	600
SD9060444 (Red)	125X1.2X22	50	600





Flat Cutting Disc for Metal (Black)



Black Cutting Wheel Ultra Cut



Flat Cutting Disc for Metal (Green)



Flat Cutting Disc for Metal (Red)



Fast Cut Green Cutting Disc

Black Cutting Wheel Ultra Cut

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060317	355X2.8X25.4	25	25

Flat Cutting Disc for Metal

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060128 (Black)	355X2.8X25.4	25	25
SD9060285 (Green)	355X2.8X25.4	25	25
SD9060316 (Red)	355X2.8X25.4	25	25

Fast Cut Green Cutting Disc

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060371 (Green)	355X2.8X25.4	25	25





DC Wheels

DC Wheel


JK Code	Size in mm (dia x thickness x bore)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060271	100 X 4 X 16 (BLACK)	25	400
SD9060272	100 X 6 X 16 (BLACK)	25	200
SD9060287	180 X 6 X 22 (BLACK)	25	50
SD9060296	100 X 4 X 16 (GREEN)	25	240
SD9060297	100 X 6 X 16 (GREEN)	25	200
SD9060299	100 X 4 X 16 (RED)	30	240
SD9060298	100 X 6 X 16 (RED)	25	240



Flap Discs

Flap Discs

JK Code	Size in mm	Std. Pkg (pc)	Master. Pkg (pc)
SD9060293	100 X 16 GRIT 60	20	300
SD9060294	100 X 16 - GRIT 80	20	300
SD9060295	100 X 16 - GRIT 120	20	300



Sanding Discs

Sanding Discs

JK Code	Size in mm	Std. Pkg (pc)	Master. Pkg (pc)
SD9060281	125MM - GRIT 60	100	1000
SD9060282	125MM - GRIT 80	100	1000
SD9060283	125MM - GRIT 100	100	1000
SD9060284	125MM - GRIT 120	100	1000



Fiber Discs

Fiber Discs

JK Code	Size in mm	Std. Pkg (pc)	Master. Pkg (pc)
SD9060335	125MM - GRIT 36	50	1000
SD9060336	125MM - GRIT 60	50	1000
SD9060337	125MM - GRIT 80	50	1000

Zircon Fiber Discs

JK Code	Size in mm	Std. Pkg (pc)	Master. Pkg (pc)
SD9060342	125MM - GRIT 36	50	1000
SD9060343	125MM - GRIT 60	50	1000



Zircon Fiber Discs



Double Headed Power Bits

JK Code	Size (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060325	POWER BITS SOMM - PH2 X PH2	10	1000
SD9060326	POWER BITS SOMM - PH2 X SL6	10	1000
SD9060242	POWER BITS 65MM - PH2 X PH2	10	1000
SD9060243	POWER BITS 65MM - PH2 X SL6	10	1000
SD9060327	POWER BITS 110MM - PH2 X PH2	10	800
SD9060328	POWER BITS 110MM - PH2 X SL6	10	800
SD9060442	TORSION POWER BIT 65mm- PH2 X PH2	10	1000



Double Headed Power Bits

Torsion Power Bit

Magnetic Nut Setter

JK Code	Size in mm	Std. Pkg (pc)	Master. Pkg (pc)
SD9060359	8 X 65	150	600



Magnetic Nut Setter





SDS Single Tip Drill Bits

JK Code	Diameter x Working Length X Total Length (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060330	5 X 50 X110	10	300
SD9060334	5 X100 X160	10	300
SD9060329	6 X 50 X 110	10	300
SD9060320	6X100X160	10	300
SD9060331	6.5 X 50 X 110	10	300
SD9060332	6.5 X 100 X 160	10	300
SD9060333	8 X 50 X110	10	300
SD9060322	8X100X160	10	300
SD9060323	10 X 100 X160	10	300
SD9060324	12 X 100 X 160	10	300

SDS Plus Hammer Drill Bits Cross Tip

SDS Minus Hammer Drill Bits Single Tip



SDS Plus Hammer Drill Bits Cross Tip

JK Code	Diameter x Working Length X Total Length (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060000	5 X 50 X110	10	300
SD9060001	5X100X160	10	300
SD9060002	6X50X110	10	300
SD9060003	6X100X160	10	300
SD9060047	6.5X50X110	10	200
SD9060048	6.5X100X160	10	200
SD9060004	8X50X110	10	300
SD9060005	8X100X160	10	300
SD9060006	10X100X160	10	200
SD9060007	10X150X210	50	200
SD9060008	10 X 200 X 260	50	100
SD9060009	12 X 100 X 160	10	200
SD9060010	12 X 150 X 210	50	200
SD9060011	12 X 200 X 260	50	100
SD9060012	12 X 240 X 310	50	100
SD9060013	13X100X160	25	100
SD9060014	13 X 150 X 210	25	100
SD9060015	13 X 200 X 260	25	100
SD9060016	13 X 240 X 310	25	100
SD9060017	14X100X160	50	100
SD9060018	14 X 150 X 210	50	100
SD9060019	14 X 200 X 260	50	100
SD9060020	14 X 240 X 310	50	100
SD9060021	16X100X160	50	100
SD9060023	16 X 200 X 260	50	100
SD9060024	16 X 240 X 310	50	100
SD9060025	18 X100 X160	50	100
SD9060026	18 X 150 X 210	50	100
SD9060027	18 X 200 X 260	50	100
SD9060028	18 X 240 X 310	50	100
SD9060029	20 X 200 X 260	25	50
SD9060030	20 X 240 X 310	25	50
SD9060032	20 X 300 X 360	25	50
SD9060033	20 X340 X400	25	50
SD9060031	20 X400 X460	25	50
SD9060034	22 X 240 X 310	25	50
SD9060036	22 X 300 X 360	25	50
SD9060037	22 X340 X400	25	50
SD9060035	22 X400 X460	25	50
SD9060038	24 X 240 X 310	25	50
SD9060040	24X 300 X 360	25	50
SD9060041	24X 340 X400	25	50
SD9060039	24X400 X460	25	50
SD9060042	25 X 200 X 260	25	50
SD9060043	25 X 240 X 310	25	50
SD9060045	25 X 300 X 360	25	50
SD9060046	25 X 340 X400	25	50
SD9060044	25 X400 X460	25	50

SDS Plus Hammer Drill Bits cross Tip

JK Code	Diameter x Working Length X Total Length (mm)	Std. Pkg (pc)	Master. Pkg (pc)
SD9060401	6 X 150 X 210	50	300
SD9060402	6 X 200 X 260	50	300
SD9060403	8 X 150 X 210	50	300
SD9060404	8 X 200 X 260	50	300
SD9060405	8 X 250 X 310	50	300
SD9060406	8 X 290 X 350	50	200
SD9060407	10 X 50 X 110	50	200
SD9060408	10 X 250 X 310	50	100
SD9060409	10 X 290 X 350	50	100
SD9060410	10 X 340 X 400	50	100
SD9060411	10 X 400 X 460	50	100
SD9060412	12 X 50 X 110	10	200
SD9060413	12 X 290 X 350	50	100
SD9060414	12 X 400 X 460	50	100
SD9060415	12 X 540 X 600	50	100
SD9060416	12 X 740 X 800	25	25
SD9060417	12 X 940 X 1000	25	25
SD9060418	13 X 250 X 310	50	100
SD9060419	13 X 400 X 460	50	200
SD9060420	14 X 200 X 260	50	100
SD9060421	14 X 290 X 350	50	100
SD9060422	14 X 400 X 460	50	100
SD9060423	14 X 540 X 600	25	25
SD9060424	14 X 740 X 800	25	25
SD9060425	14 X 940 X 1000	25	25
SD9060426	15 X 100 X 160	10	200
SD9060428	16 X 290 X 350	50	100
SD9060429	16 X 400 X 460	50	100
SD9060430	16 X 540 X 600	20	20
SD9060431	16 X 740 X 800	25	25
SD9060432	16 X 940 X 1000	25	25
SD9060433	18 X 290 X 350	20	20
SD9060434	18 X 400 X 460	25	25
SD9060435	18 X 540 X 600	25	25
SD9060436	19 X 150 X 210	25	50
SD9060437	19 X 290 X 350	25	50
SD9060438	19 X 400 X 460	25	50
SD9060439	20 X 540 X 600	25	25
SD9060440	25 X 540 X 600	10	10

Other Range



Files



HSS Drills



Power Tools



Hand Tools



HSS Taps



Power Tool Accessories

Contributing to industrial growth for the last 71 years





JK MAINI
PRECISION TECHNOLOGY
A Raymond GROUP COMPANY
(Formerly known as JK FEL Tools & Technologies Limited)



Regd. Off.: New Hind House, N. M. Marg, Ballard Estate, Mumbai - 400 001. Maharashtra, India.

Sales Off.: P.O. Jekegram, Pokhran Road No.1, Thane - 400 606. Maharashtra, India.

Phone: (+91-22) 6152 7000 **Fax :** (+91-22) 6152 8819 / 20 **Email:** jkftsales@raymond.in / jkftexport@raymond.in

Log on to: www.jksuperdrive.com