



POWER TOOLS

Your Speedy Effortless Tools ►►

Profile

JK Files & Engineering Limited, a subsidiary of Raymond Ltd enjoys leadership position as the world's largest manufacturer of steel files with a share of over 25% of global capacity in 2020, with a presence in over 55 countries. The company is the market leader in the files segment in India with a market share of over 60% by sales volume in fiscal 2021.

With trusted relationships that are built over the past seven decades, JK Files & Engineering has earned a repute as a manufacturer offering expansive and versatile range of custom made files and tools as per BS, FS, ISI and DIN standards or as specified by customers. The company also has a strong presence in the Asian, African and Latin American regions and is the largest brand in the African market with a market share of over 50% by volume in steel files in 2020. In addition, it is amongst the leading players in the drills segment in India.

Our organization is backed by five ISO 9001-2015 certified plants strategically located at Ratnagiri & Chiplun in Maharashtra, Pithampur in Madhya Pradesh and Vapi in Gujarat. All plants are equipped with in- house rolling mills that ensure premium quality as well as easy product availability with wide spread of SKU's in the market. Our strong commitment to quality has helped us build an enviable reputation even in technologically advanced markets like Europe, USA and UK.

We export files and drills to Europe, Latin America, Africa, North America and Asia-Pacific under our own brand as well as white labelled products.

The brand 'JK' extends its rich legacy of technological know-how and expertise in manufacturing files and drills to quality products in Hand tools and Power tools categories. The expansive portfolio includes a wide variety of handheld electric powered and non-powered tools such as Marble Cutter, Angle grinder, Impact Drill, Electric Drill, Cut-Off Saw, Pliers, Wrenches, Hammers, Spanners, Screw Drivers, Iron Jack Planes, Hole Saw, Hand Hack Saw Blades, TCT Circular Saw, Sockets etc. Our objective is to simplify laborious tasks carried out by professionals such as carpenters, masons, plumbers, electricians, metal fabricators and MRO industry with high degree of efficiency and superior quality.

Building resilience through a resilient supply chain ably supported by local warehouses aligned to strong dealer distributor model. Our pan-India distribution network consists of over 730 active distributors with a retail reach of over 150,000 outlets spanning over 600 towns in India.

We Welcome you to the world of JK Superdrive



JK MAINI
PRECISION TECHNOLOGY
A Raymond GROUP COMPANY
(Formerly known as JK FEL Tools & Technologies Limited)



Quality Policy

We shall provide products and services that meets our Customers' requirements on time, every time.

We shall provide all possible assistance to our Customers wherever required to get benefits from the use of our products.

We shall continually improve our processes to understand changing customer needs of QUALITY, COST and DELIVERY which is vital for our continued growth and success.

We will continually improve the effectiveness and compliance of our QUALITY MANAGEMENT SYSTEM with the involvement of employees at all levels.

We are committed to ensure safety of all our facilities.



Parag Khare

Chief Business Officer
T&H Business




JK MAINI
PRECISION TECHNOLOGY
A *Raymond* GROUP COMPANY
(Formerly known as JKFEL Tools & Technologies Limited)



ANGLE GRINDER

JKAG100N
9005065C



Power
Tools



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.

RECOMMENDED ACCESSORIES



4" Ultra Thin
Cutting Disc
Red



4" Ultra Thin
Cutting Disc
Green



4" Ultra Thin
Cutting Disc
Black



Black DC Wheel
4 X 4



Black DC Wheel
4 X 6



Red DC Wheel
4 X 4



Red DC Wheel
4 X 4



4" Flap Disc
Grit #60



4" Flap Disc
Grit #80



4" Flap Disc
Grit #120



Green DC Wheel
4 X 4



Green DC Wheel
4 X 6

KEY FEATURES

- Adjustable wheel guard
- Externally accessible Carbon brush
- Two position side handle

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 850W |
| Voltage (V) | : 220V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 11000RPM |
| Wheel Diameter (MM) | : 100MM |
| Weight (KG) | : 1.7KG |



ANGLE GRINDER

JKAG100HD
9005078



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Multi- Purpose Usage

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 850W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 11000RPM |
| Wheel Diameter (MM) | : 100MM |
| Weight (KG) | : 1.5KG |


RECOMMENDED ACCESSORIES



ANGLE GRINDER

JKAG4C

9005111



Power
Tools



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Slim Body Easy Handling

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 850W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 11000RPM |
| Wheel Diameter (MM) | : 100MM |
| Weight (KG) | : 1.6Kg |

RECOMMENDED ACCESSORIES





ANGLE GRINDER

JKAG45C

9005124



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Side Switch for Single hand Operation

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 850W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 11000RPM |
| Wheel Diameter (MM) | : 100MM |
| Weight (KG) | : 1.6Kg |

RECOMMENDED ACCESSORIES



4" Ultra Thin Cutting Disc Red

4" Ultra Thin Cutting Disc Green

4" Ultra Thin Cutting Disc Black



Black DC Wheel 4 X 4

Black DC Wheel 4 X 6

Red DC Wheel 4 X 4

Red DC Wheel 4 X 4



4" Flap Disc Grit #60

4" Flap Disc Grit #80

4" Flap Disc Grit #120



Green DC Wheel 4 X 4

Green DC Wheel 4 X 6



4" Diamond Cutting Blade GranTile-Cut


4" Diamond Cutting Blade BrickStone-Cut

4" Diamond Cutting Blade Fine-Mould

ANGLE GRINDER

JKAG125

9005034



Power
Tools



KEY FEATURES

- Three Position Side Handle
- Rear Handle Design for Comfortable use
- For Metal & Construction Applications

SPECIFICATION

| | |
|---------------------|-----------|
| Power Input (Watts) | : 1200W |
| Voltage (V) | : 220V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 8500RPM |
| Wheel Diameter (MM) | : 125MM |
| Weight (KG) | : 2.9Kg |

Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.

RECOMMENDED ACCESSORIES



5" Cutting Disc
Red



5" Cutting Disc
Green



5" Cutting Disc
Black



MARBLE CUTTER

JKCM4N
9005082C



Accessories in Box:

- Spanner Set, Carbon Brush Set,
- Water Supply Pipe, Tap Nozzle, Water supply nozzle.

KEY FEATURES

- 1250W Powerful motor
- Lock on switch
- Carbon brush externally accessible

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 1250W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 12000RPM |
| Wheel Diameter (MM) | : 110MM |
| Cutting Depth (MM) | : 33MM |
| Weight (KG) | : 3Kg |



RECOMMENDED ACCESSORIES



4" Diamond Cutting Blade GranTile-Cut



4" Diamond Cutting Blade BrickStone-Cut




4" Diamond Cutting Blade Fine-Mould



4" Diamond Cutting Blade Tile cut

MARBLE CUTTER

JKCM5N
9005084C



Power
Tools



Accessories in Box:

Wrench, Socket, Carbon Brush Set.

KEY FEATURES

- Lock On Switch for Finger Free Run
- Powerful 1300 W motor for tough applications
- Wing Nut for Easy Depth Adjustment
- Bevel Cutting

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 1300W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 11000RPM |
| Wheel Diameter (MM) | : 125MM |
| Cutting Depth (MM) | : 40MM |
| Weight (KG) | : 3 KG |

RECOMMENDED ACCESSORIES



TCT Circular Saw



TCT Expert
Circular Saw



Tile Cutting
Blade



4" Diamond
Cutting Blade
GranTile-Cut



4" Diamond
Cutting Blade
BrickStone-Cut



4" Diamond
Cutting Blade
Fine-Mould



CIRCULAR SAW

JKCS7
9005094



Accessories in Box:

Allen Key, Blade, Parallel Guide.

KEY FEATURES

- Externally Accessible Carbon Brush
- Protection Guard
- Adjustable Height
- Bevel Adjustment

SPECIFICATION

| | |
|---------------------|-----------|
| Power Input (Watts) | : 1100W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 4500RPM |
| Weight (KG) | : 3.1 KG |



RECOMMENDED ACCESSORIES



TCT Circular Saw
for
Wood Cutting




TCT Expert Circular
Saw for
Wood Cutting

CUT OFF SAW

JKCS14HD

9005036



Power
Tools



Accessories in Box:
Hex Key, Cutting Blade.



KEY FEATURES

- Robust Design For Tough Site Conditions
- Movable Wheel Guard
- Highest Power in Class
- Dual Side Degree Cutting

SPECIFICATION

| | |
|----------------------------|------------|
| Power Input (Watts) | : 2300W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50 Hz |
| No Load Speed (RPM) | : 4300 RPM |
| Collet Size Wheel Dia (mm) | : 355mm |
| Weight (KG) | : 17 KG |

RECOMMENDED ACCESSORIES



14" Flat Cutting Disc
for Metal
Black



14" Flat Cutting Disc
for Metal
Green



14" Flat Cutting Disc
for Metal
Red



CORDLESS DRILL

JKCD10
9005081



Accessories in Box:
Battery, Adaptor, PH2-PH2 Bit.

KEY FEATURES

- Two speed gearbox for both drilling & Screw driving operations
- Compact build & Light weight design for easy & fatigue free operations
- Ergonomically designed soft grip handle to provide a perfect grip
- Keyless chuck for faster & easy tool change
- Forward/ Reverse functions for screw driving in/ out

SPECIFICATION

| | |
|-----------------------|-----------------------|
| Drilling Capacity(mm) | : 10mm |
| Battery (V) | : 12V, 1.5Ah - LI-ION |
| No Load Speed (RPM)-1 | : 0-350 RPM |
| No Load Speed (RPM)-2 | : 0-1300RPM |
| Max Torque (N-m) | : 23 N-m |
| Weight (gms) | : 926 gms |


RECOMMENDED ACCESSORIES



CORDLESS DRILL

JKCD20

9005099



Power
Tools



Accessories in Box:

Battery, Adaptor, PH2-PH2 Bit.

KEY FEATURES


- Two speed gearbox for both drilling & Screw driving operations
- Compact build & Light weight design for easy & fatigue free operations
- Ergonomically designed soft grip handle to provide a perfect grip
- Keyless chuck for faster & easy tool change
- Forward/ Reverse functions for screw driving in/ out

SPECIFICATION

| | |
|-----------------------|---------------------|
| Drilling Capacity(mm) | : 10MM |
| Battery (V) | : 20V, 2Ah - LI-ION |
| No Load Speed (RPM)-1 | : 0-400 RPM |
| No Load Speed (RPM)-2 | : 0-1350 RPM |
| Max Torque (N-m) | : 24 N-n |
| Weight (gms) | : 1.28Kg |

RECOMMENDED ACCESSORIES





**Power
Tools**

ELECTRIC DRILL

**JKED10
9005073**



Accessories in Box:

Chuck Key, Carbon Brush Set



KEY FEATURES

- Variable Speed for Screw-Driving
- Reverse/ Forward Switch for Ease of Operation
- Lock On Switch for Fatigue less Operation

SPECIFICATION


| | |
|------------------------|--------------|
| Power Input (Watts) | : 450W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 0-3000 RPM |
| Chuck Clamp Range (mm) | : 1.5-10 mm |
| Weight (KG) | : 1.3 KG |

RECOMMENDED ACCESSORIES



13mm IMPACT DRILL

JKID13
9005096C



Power
Tools



Accessories in Box:

Chuck Key, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES

KEY FEATURES

- Ergonomically Designed Soft Grip Handle for Fatigue Free Operation
- Reverse/ Forward Switch for ease of Operation
- Variable Speed Switch for Screw Driving
- Lock On Switch for Finger Free Run

SPECIFICATION

| | |
|---------------------|-------------|
| Power Input (Watts) | : 750W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load speed (RPM) | : 0-2800RPM |
| Weight (KG) | : 1.8Kg |



TCT Hole Saw
For Wood



Double Headed
Power Bits



Magnetic Nut
Setter



Arbor
(With HSS Drill)



Hole Saw Bi-Metal
Variable Pitch



13mm IMPACT DRILL

JKID13N
9005072



Accessories in Box:
Chuck Key, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES

KEY FEATURES

- Ergonomically Designed Soft Grip Handle for Fatigue Free Operation
- Reverse/ Forward Switch for ease of Operation
- Variable Speed Switch for Screw Driving
- Lock On Switch for Finger Free Run


SPECIFICATION

| | |
|------------------------|---------------|
| Power Input (Watts) | : 550W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50 Hz |
| No Load speed (RPM) | : 0-3000 RPM |
| Chuck Clamp Range (mm) | : 1.5- 13mm |
| Weight (KG) | : 2 KG |
| Impact Rate (BPM) | : 0-48000 BPM |



ROTARY HAMMER

JKRH20
9005076C



Power
Tools



Accessories in Box:

SDS Drill ϕ 6 mm, SDS Drill ϕ 8 mm, SDS Drill ϕ 10 mm,
Carbon Brush Set, Side Handle, Depth Scale.

KEY FEATURES

- Motor Designed to withstand high temperatures of upto 200 degrees
- Shock Proof Class II Double Insulation
- Lock On Switch for Finger free operation

SPECIFICATION

| | |
|-----------------------|---------------------------------|
| Power Input (Watts) | : 500W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50 Hz |
| No Load Speed (RPM) | : 1000 RPM |
| Chuck Clamp Range(mm) | : 16 mm - Concrete / 13mm Steel |
| Weight (KG) | : 2.5 KG |
| Impact Rate (BPM) | : 3900BPM |
| Impact Energy (J) | : 1.7 J |

RECOMMENDED ACCESSORIES



SDS Plus
Hammer
Drill Bit
Cross Tip

SDS Plus Flat Tip
Hammer Drill Bit



ROTARY HAMMER

JKRH26
9005085C



KEY FEATURES

- Lock on Switch for Finger Free Operation
- Ergonomic Soft Grip Handle
- SDS Plus Chuck Forward Reverse Function
- Powerful Motor for Heavy Duty Drilling

SPECIFICATION

| | |
|------------------------|----------------------------------|
| Power Input (Watts) | : 800W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 1100RPM |
| Impact Energy (J) | : 3 J |
| Chuck Clamp Range (mm) | : 22 mm - Concrete / 13 mm Steel |
| Weight (KG) | : 2.6 KG |

Accessories in Box:

Flat Chisel, Point Chisel, SDS Drill ø6 mm, SDS Drill ø8 mm, SDS Drill ø10 mm, Carbon Brush Set, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES




SDS Plus Hammer Drill Bit
Gross Tip

SDS Plus Single Tip Hammer Drill Bit

DEMOLITION HAMMER

JKDH5
9005077



Power
Tools



Accessories in Box:
Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.

KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability

SPECIFICATION

| | |
|-----------------------|-----------------|
| Power Input (Watts) | : 900W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| Impact Rate (IMP) | : 2900IPM |
| Impact Energy (J) | : 17J |
| Vibration (m/s^2) | : 8 (m/s^2) |
| Weight (KG) | : 5Kg |





DEMOLITION HAMMER

JKDH7
9005131



Accessories in Box:
Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.

KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability


SPECIFICATION

| | |
|---------------------|-----------|
| Power Input (Watts) | : 1200W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| Impact Rate (IPM) | : 3000IPM |
| Impact Energy (J) | : 21J |
| Weight (KG) | : 7Kg |



DEMOLITION HAMMER

JKDH11
9005132



Power
Tools



Accessories in Box:

Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.

KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability

SPECIFICATION

| | |
|---------------------|-----------|
| Power Input (Watts) | : 1500W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| Impact Rate (IPM) | : 2000IPM |
| Impact Energy (J) | : 25J |
| Weight (KG) | : 11Kg |





DEMOLITION HAMMER

JKDH16
9005133



Accessories in Box:

Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.

KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability


SPECIFICATION

| | |
|---------------------|-----------|
| Power Input (Watts) | : 1600W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| Impact Rate (IPM) | : 1500IPM |
| Impact Energy (J) | : 46J |
| Weight (KG) | : 16Kg |



PLANER

JKEP1-82
9005066C



Power
Tools



Accessories in Box:
Socket, Carbon Brush Set, Depth Guide,
Blade Assembly Guide, Blade Sharpening Guide.


KEY FEATURES

- V Groove in Base Plate for Wood Chamfering
- 550W tough motor
- Sturdy straight type depth adjustment

SPECIFICATION

| | |
|--------------------------------|-------------|
| Power Input (Watts) | : 550W |
| Recommended Planing Depth (MM) | : 1 MM |
| Planing Width (MM) | : 82 MM |
| Rebating Depth (MM) | : 0-8 MM |
| No Load Speed (RPM) | : 17000 RPM |
| Weight (KG) | : 2.3 KG |





ROUTER

JKRT12N
9005095



Accessories in Box:

Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.

KEY FEATURES

- 12mm Collet Size
- Depth Scale for Fine Adjustment
- High Power - 1600 W
- 4 Pillar Construction
- Lock On Switch


SPECIFICATION

| | |
|---------------------|-------------|
| Power Input (Watts) | : 1600W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 22000 RPM |
| Collet Size (mm) | : 12 MM |
| Weight (KG) | : 4.45 KG |



Wood Trimmer

JKTR6
9005087



Power
Tools



Accessories in Box:

Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.


KEY FEATURES

- Heavy Duty
- Adjustable Depth
- Transparent Base

SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 500W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 30000RPM |
| Collet Size (mm) | : 6.3MM |
| Weight (KG) | : 1.2KG |





**Power
Tools**

Wood Trimmer

**JKJS85
9005129**



Accessories in Box:

Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.

KEY FEATURES

- *710W Powerful Motor*
- *Speed Control Switch*
- *Swivel Base Plate*
- *Height and Depth Adjustment Switch*


SPECIFICATION

| | |
|----------------------------|----------------------|
| <i>Power Input (Watts)</i> | <i>: 710W</i> |
| <i>Voltage (V)</i> | <i>: 230V</i> |
| <i>Frequency (Hz)</i> | <i>: 50Hz</i> |
| <i>No Load Speed (RPM)</i> | <i>: 800-3000RPM</i> |
| <i>Weight (KG)</i> | <i>: 2.5KG</i> |




HOT AIR GUN

JKHG
9005075



Power
Tools



KEY FEATURES

- Heat Insulation cap for user safety
- 2000W Powerful coil
- Built in Stand for faster Cooling
- Light Weight Design for Lower Operator Fatigue
- Rocker Switch for Dual Stage Airflow & Comfortable Use

SPECIFICATION

| | |
|-------------------------------------|---------------------------|
| Power Input (Watts) | : 2000W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| Working Temperature (°C) | : Min 350°C / Max 500°C |
| Air Flow Rate (m ³ /min) | : 2.2 m ³ /min |
| Weight (KG) | : 0.7 KG |



AIR BLOWER

JKBLLT
9005134



Accessories in Box:

Nozzle,

KEY FEATURES

- Light Weight Design
- Blow & Suction
- Lock on Switch for Hands-free Operation
- External Carbon Brush Access


SPECIFICATION

| | |
|--------------------------------|--------------------------|
| Power Input (Watts) | : 500W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 13000RPM |
| Air Flow (m ³ /min) | : 2.8m ³ /MIN |
| Weight (KG) | : 1.28KG |



AIR BLOWER

JKBL
9005032



Power
Tools



Accessories in Box:
Nozzle, Dust Collection Bag


KEY FEATURES

- Light Weight Design
- Lock on switch
- High Airflow Rate
- External Carbon Brush Access

SPECIFICATION

| | |
|--------------------------------|---------------------------|
| Power Input (Watts) | : 440W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 13000RPM |
| Air Flow (m ³ /min) | : 2.8 m ³ /min |
| Weight (KG) | : 1.5 KG |





**Power
Tools**

AIR BLOWER

**JKBLVS
9005126**



Accessories in Box:
Nozzle, Dust Collection Bag

KEY FEATURES

- Variable Speed Switch
- Lock on switch
- High Airflow Rate
- External Carbon Brush Access


SPECIFICATION

| | |
|--------------------------------|--------------------------|
| Power Input (Watts) | : 500W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 13000RPM |
| Air Flow (m ³ /min) | : 2.8m ³ /MIN |
| Weight (KG) | : 1.28KG |



ELECTRIC PUTTY MIXER

JKEM800N
9005070



Power
Tools



Accessories in Box:

Handle, Carbon Brush Set, Mixer Rod.

KEY FEATURES

- Easy to access carbon brush
- 3 position side handle
- 800W powerful motor

SPECIFICATION

| | |
|---------------------|----------|
| Power Input (Watts) | : 1020W |
| Voltage (V) | : 230V |
| Frequency (Hz) | : 50Hz |
| No Load Speed (RPM) | : 550RPM |
| Weight (KG) | : 3 KG |





CONCRETE VIBRATOR

JKCV15
9005088



Accessories in Box:

Carbon Brush Set, Rubber Shaft

KEY FEATURES

- Effortlessly Removes Air Bubbles
- High Vibration Frequency
- Lock On Switch


SPECIFICATION

| | |
|---------------------|------------|
| Power Input (Watts) | : 950W |
| Voltage (V) | : 220V |
| Frequency (Hz) | : 50 Hz |
| No Load Speed (RPM) | : 4600 RPM |
| Shaft Length (mm) | : 1.5m |
| Weight (KG) | : 2 KG |



GASOLINE CHAINSAW

JKCS18
9005098C



Power
Tools



KEY FEATURES

- Brake Handle to Avoid any Mishaps
- Automatic Oil Feeding System
- Starter with Easy-Start
- 2 Stroke Engine
- Anti -Vibration System
- Easy to Carry

SPECIFICATION

| | |
|-------------------------|-----------|
| Power Input (Watts) | : 2.2K W |
| No Load Speed (RPM) | : 3000RPM |
| Bar Length (INCH) | : 18 INCH |
| Weight (KG) | : 8 KG |
| Displacement (CC) | : 58 CC |
| Fuel Tank Capacity (ml) | : 550 ML |
| Oil Tank Capacity (ml) | : 260 ML |

Accessories in Box:

Flat screwdriver, Spark Plug socket with Screwdriver, Chainsaw File, Oil Can, Hex Key- 2 N, Screw- 2N, Feling Dog/ Protector, Chain.





GASOLINE CHAINSAW

JKCS22N
9005074C



KEY FEATURES

- Brake Handle to Avoid any Mishaps
- Automatic Oil Feeding System
- Starter with Easy-Start
- 2 Stroke Engine
- Anti -Vibration System
- Easy to Carry

SPECIFICATION

| | |
|-------------------------|------------|
| Power Input (Watts) | : 2.2K W |
| No Load Speed (RPM) | : 3000 RPM |
| Bar Length (INCH) | : 22 INCH |
| Weight (KG) | : 8.5 KG |
| Displacement (CC) | : 58 CC |
| Fuel Tank Capacity (ml) | : 550 ml |
| Oil Tank Capacity (ml) | : 260 ml |

Accessories in Box:


Flat screwdriver, Spark Plug socket with Screwdriver, Chainsaw File, Oil Can, Hex Key- 2 N, Screw- 2N, Feling Dog/ Protector, Chain.



Welding Machine

JKWM-200A

9005101C



Power
Tools



KEY FEATURES

- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter


SPECIFICATION

| | | |
|--------------------------|---|----------|
| Input Voltage (VAC) | : | 220 ±10% |
| Input Frequency (Hz) | : | 50/60 |
| Rated Output Current (A) | : | 120 |
| Max. Current Range (A) | : | 20-200 |
| No Load Voltage (V) | : | 60 |
| Efficiency | : | 85% |
| Weight | : | 2.5Kg |

Accessories in Box:

Belt, Face Shield, Wire Brush, Welding Rods





**Power
Tools**

Welding Machine

JKWM-220A

9005102C



KEY FEATURES

- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter

SPECIFICATION

| | | |
|--------------------------|---|----------|
| Input Voltage (VAC) | : | 220 ±10% |
| Input Frequency (Hz) | : | 50/60 |
| Rated Output Current (A) | : | 140 |
| Max. Current Range (A) | : | 20-220 |
| No Load Voltage (V) | : | 70 |
| Efficiency | : | 85% |
| Weight | : | 2.8Kg |

Accessories in Box:


Belt, Face Shield, Wire Brush, Welding Rods



Welding Machine

JKWM-250A

9005103C



Power
Tools



KEY FEATURES


- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter
- Arc Force Adjustment

SPECIFICATION

| | | |
|--------------------------|---|----------|
| Input Voltage (VAC) | : | 220 ±10% |
| Input Frequency (Hz) | : | 50/60 |
| Rated Output Current (A) | : | 160 |
| Max. Current Range (A) | : | 20-250 |
| No Load Voltage (V) | : | 72 |
| Efficiency | : | 85% |
| Weight | : | 3Kg |


Accessories in Box:

Belt, Face Shield, Wire Brush, Welding Rods





OUR OTHER RANGE OF PRODUCTS



FILES



HSS DRILLS



HSS TAPS



HAND TOOLS



POWER TOOL ACCESSORIES



JK MAINI
PRECISION TECHNOLOGY
A **RAYMOND** GROUP COMPANY
(Formerly known as JKFEEL Tools & Technologies Limited)



Regd. Off.: New Hind House, N. M. Marg, Ballard Estate, Mumbai - 400 001. Maharashtra, India.

Sales Off.: P.O. Jekegram, Pokhran Road No.1, Thane - 400 606. Maharashtra, India.

Phone: (+91-22) 6152 7000 **Fax:** (+91-22) 6152 8819 / 20 **Email:** jkftsales@raymond.in / jkftexport@raymond.in

Log on to: www.jksuperdrive.com